BBA

Lipids and Lipid Metabolism

Vol. 1123, 1992

Cumulative Contents

| Information for Contributors | vii | Effects of cholestyramine on lipoprotein levels and metabolism in Syrian hamsters | |
|---|-----|---|-----|
| Review | | P.H.E. Groot, N.J. Pearce, K.E. Suckling and S. Eisenberg (U.K., Israel) | 76 |
| Structure and functional properties of lipoprotein lipase | | Hepatic uptake and processing of cholesterol and cholesteryl ester from chylomicron remnants: | |
| CS. Wang, J. Hartsuck and W.J. McConathy (U.S.A.) | 1 | an in vivo study in the rat E. Bravo, T. Guldur, K.M. Botham, P.A. Mayes and A. Cantafora (Italy, U.K.) | 85 |
| Regular Papers | | Competitive inhibition of lipolytic enzymes. V. A monolayer study using enantiomeric acylamino | |
| Comparison of the conversion rates of α -linolenic acid (18:3($n-3$)) and stearidonic acid (18:4 ($n-3$)) to longer polyunsaturated fatty acids | | analogues of phospholipids as potent competi- tive inhibitors of porcine pancreatic phospho- lipase A ₂ | |
| in rats K. Yamazaki, M. Fujikawa, T. Hamazaki, S. Yano and T. Shono (Japan) | 18 | S. Ransac, A.M.T.J. Deveer, C. Rivière, A.J. Slotboom, C. Gancet, R. Verger and G.H. De Haas (France, The Netherlands) | 92 |
| Solubilization and modulation of acyl-CoA:1- acyl-glycerophosphocholine acyltransferase ac- tivity in rat liver microsomes | | Cholesterol metabolism in ExHC (exogenous hypercholesterolemic) rats K. Imaizumi, A. Nagatomi, M. Sato, A. Tomi- | |
| J.J. Mukherjee, P.G. Tardi and P.C. Choy (Canada) | 27 | naga and M. Sugano (Japan) Metabolism of 12(R)-hydroxyeicosatetraenoic acid by rat liver microsomes | 101 |
| Transport of poly-β-hydroxybutyrate in human plasma R.N. Reusch, A.W. Sparrow and J. Gardiner | | H.K. Jajoo, J.H. Capdevila, J.R. Falck, R.K. Bhatt and I.A. Blair (U.S.A.) | 110 |
| (U.S.A.) Apparent relative retention of the phosphatidyl- | 33 | Review | |
| ethanolamine molecular species $18:0-20:5(n-3)$, $16:0-22:6(n-3)$ and the sum $16:0-20:4(n-6)$ plus $16:0-20:3(n-9)$ in the liver microsomes of pig on an essential fatty acid defi- | | Insect glycolipids H. Wiegandt (Germany) | 117 |
| cient diet L. Menguy, R. Christon, A. Van Dorsselaer and | | Regular Papers | |
| C.L. Léger (France) Synthesis of β -hydroxy fatty acids and β -amino fatty acids by the strains of Bacillus subtilis producing iturinic antibiotics | 41 | A defect in the sterol: steryl ester interconversion in a mutant of the yeast, Saccharomyces cerevisiae G.A. Keesler, S.M. Laster and L.W. Parks | 105 |
| F. Besson, I. Tenoux, ML. Hourdou and G. Michel (France) | 51 | (U.S.A.) Hepatic and nonhepatic sterol synthesis and tis- | |
| Substrate specificities of lipases A and B from Geotrichum candidum CMICC 335426 E. Charton and A.R. Macrae (U.K.) | 59 | sue distribution following administration of a liver selective HMG-CoA reductase inhibitor, CI-981: comparison with selected HMG-CoA | |
| Comparison of effects of epidermal and insulin- like growth factors, gastrin releasing peptide and retinoic acid on fetal lung cell growth and maturation in vitro | | reductase inhibitors T.M.A. Bocan, E. Ferguson, W. McNally, P.D. Uhlendorf, S. Bak Mueller, P. Dehart, D.R. Sliskovic, B.D. Roth, B.R. Krause and R.S. New- | |
| C. Fraslon and J.R. Bourbon (France) | 65 | ton (U.S.A.) | 133 |

| Plasma lipid transport in the preruminant calf, Bos spp: primary structure of bovine apolipo- protein A-I | | B. Staels, J. Peinado-Onsurbe and J. Auwerx (Belgium) | 227 |
|---|-----|---|-----|
| D.A. Sparrow, B.R. Lee, P.M. Laplaud, S. Auboiron, D. Bauchart, M.J. Chapman, A.M. Gotto, Jr., C.Y. Yang and J.T. Sparrow (U.S.A., | | Review | |
| France) Effect of β -lactoglobulin on the activity of pre- | 145 | Regulation of fatty acid and cholesterol metabolism by the AMP-activated protein ki- | |
| gastric lipase. A possible role for this protein in ruminant milk M.D. Perez, L. Sanchez, P. Aranda, J.M. Ena, | | nase D.G. Hardie (U.K.) | 231 |
| R. Oria and M. Calvo (Spain) | 151 | Regular Papers | |
| Purification and NH2-terminal amino acid se- | | | |
| quences of human and rat kidney fatty acid ω-hydroxylases H. Kawashima, E. Kusunose, I. Kubota, M. Maekawa and M. Kusunose (Japan) | 156 | Characteristics of the binding of human and bovine high-density lipoproteins by blood-stream forms of the African trypanosome, <i>Trypanosoma brucei brucei</i> | |
| Polyphosphoinositide phospholipase C in wheat | 150 | M.P.T. Gillett and J.S. Owen (U.K.) | 239 |
| root plasma membranes. Partial purification and characterization | | Inhibition of glycerol-3-phosphate acyltransferase by analogs of glycerol-3-phosphate | 237 |
| PM. Melin, C. Pical, B. Jergil and M. Som- | | T.A. Stein, R.R. Engel and B.E. Tropp (U.S.A.) | 249 |
| marin (Sweden) | 163 | Transforming growth factor- β inhibits surfactant | |
| Effects of clofibrate feeding on essential fatty | | protein A expression in vitro | |
| acid desaturation and oxidation in isolated rat | | J.A. Whitsett, A. Budden, W.M. Hull, J.C. Clark | |
| liver cells | | and M.A. O'Reilly (U.S.A.) | 257 |
| M. Grønn, E. Christensen, TA. Hagve and | | Immunogenic properties of mannose-containing | |
| B.O. Christophersen (Norway) | 170 | ceramide disaccharide and immunochemical | |
| Diacylglycerol kinase in plasma membranes from | | detection of its hapten in the two kinds of | |
| wheat | | crustacean, Euphausia superba and Macro- | |
| G.A. Lundberg and M. Sommarin (Sweden) | 177 | brachium nipponense | |
| Generation of one set of monoclonal antibodies | | S. Itonori, M. Hiratsuka, N. Sonku, H. Tsuji, O. | |
| specific for b-pathway ganglio-series ganglio- | | Itasaka, T. Hori and M. Sugita (Japan) | 263 |
| sides | | Interaction of melittin with endotoxic lipid A | |
| H. Ozawa, M. Kotani, I. Kawashima and T. Tai | | S.A. David, V.I. Mathan and P. Balaram (In- | |
| (Japan) | 184 | dia) | 269 |
| Photoaffinity cross-linking of acyl carrier protein to <i>Escherichia coli</i> membranes | | Leukotriene A ₄ hydrolase: an anion activated peptidase | |
| N. Bayan and H. Thérisod (France) | 191 | A. Wetterholm and J.Z. Haeggström (Sweden) | 275 |
| Dicyclohexylcarbodiimide and vanadate sensitive ATPase of lung lamellar bodies A. Chander (U.S.A.) | 198 | Resistance to ethanol disordering of membranes from ethanol-fed rats is conferred by all phos- pholipid classes | |
| UV-treated lipoproteins as a model system for | 196 | H. Rottenberg, R. Bittman and HL. Li (U.S.A.) | 282 |
| the study of the biological effects of lipid per- | | Enhanced sensitivity to oxidative stress in | 402 |
| oxides on cultured cells. 4. Calcium is involved | | Cu,ZnSOD depleted rat erythrocytes | |
| in the cytotoxicity of UV-treated LDL on lym- | | G.M. Bartoli, P. Palozza and E. Piccioni (Italy) | 291 |
| phoid cell lines | | Altered desaturase activities and fatty acid com- | 291 |
| A. Nègre-Salvayre and R. Salvayre (France) | 207 | position in liver microsomes of spontaneously | |
| Inhibition of prostaglandin synthesis in human | 207 | diabetic Wistar BB rat | |
| endothelial cells treated with metabolic in- | | V. Mimouni and JP. Poisson (France) | 296 |
| hibitors | | Biosynthesis of cholic acid accelerated by dia- | 270 |
| G.E. Revtyak and W.B. Campbell (U.S.A.) | 216 | betes: its mechanism and effect of vanadate administration | |
| Rapid Report | | K. Kimura, Y. Ogura and M. Ogura (Japan) | 303 |
| | | Difference in antioxidant activity between re- | |
| Down-regulation of hepatic lipase gene expres- | | duced coenzyme Q9 and reduced coenzyme | |
| sion and activity by fenofibrate | | Q ₁₀ in the cell: studies with isolated rat and | |

| guinea pig hepatocytes treated with a water- soluble radical initiator T. Matsura, K. Yamada and T. Kawasaki | | M. Kuzuya, K. Yamada, T. Hayashi, C. Funaki, M. Naito, K. Asai and F. Kuzuya (Japan) Metabolism of prostaglandins E ₂ and F _{2a} by hu- | 334 |
|--|-----|---|-----|
| (Japan) | 309 | man fetal membranes | |
| Condensation activity for polyunsaturated fatty acids with malonyl-CoA in rat brain micro- | | M.H.F. Sullivan, C.K. Roseblade, N.B. Rendell, G.W. Taylor and M.G. Elder (U.K.) | 342 |
| somes. Characteristics and developmental change | | Enzymatic synthesis of structural analogs of PAF-acether by phospholipase D-catalysed | |
| S. Yoshida and JM. Bourre (France) | 316 | transphosphatidylation | |
| Enzyme-catalyzed oxidation of cholesterol in pure monolayers at the air/water interface | | V. Testet-Lamant, B. Archaimbault, J. Durand and M. Rigaud (France) | 347 |
| J.P. Slotte (Finland) | 326 | | |
| Role of lipoprotein-copper complex in copper catalyzed-peroxidation of low-density lipopro- | | Cumulative Contents, Vol. 1123 | 351 |
| tein | | Author Index | 355 |



